


PAGE FENCE



CHICAGO FENCE & WIRE CO.

**4400 Addison Street, CHICAGO, ILL.
Telephone Palisade 1283-4-5**



PAGE FENCES



CATALOG No. 397

Copyright 1929

*Economical, permanent protection for industries, institutions,
municipal property, estates, residences, etc.*

In 1883 J. Wallace Page produced America's first wire fence. Throughout many years Page Fence has been developed and improved until today it represents the most efficient and economical type of property protection possible to secure. It has demonstrated its worth under all possible conditions of service, and it is first choice wherever the best is desired and maximum service expected.

PAGE STEEL *and* WIRE COMPANY

General Sales Office:


New York Central Building, 230 Park Avenue, New York, N. Y.

District Sales Offices:

Chicago New York Pittsburgh San Francisco

*In Canada: Dominion Chain Company, Limited
Niagara Falls, Ontario*

An Associate Company of the American Chain Company, Incorporated



Views of factories of the Page Steel and Wire Company at York, Pa.; Terre Haute, Ind.; Adrian, Mich.; Steel Mill and Main Plant at Monessen, Pa.

*General Sales Office: New York, N. Y.
District Offices—New York, Pittsburgh, Chicago and San Francisco.*

America's
wire fence



*nation-wide service
through
53 service plants*

first
since 1883

RIGHT in your locality nation-wide service of the Page Fence Association assures you better fence protection.

This Association is composed of 53 of America's leading fence builders. Each firm's business is concentrated right in your locality. Its reputation and future depend upon the service it gives you and other fence prospects in your community. The fence experts of this organization are interested in your installation permanently. They know that you, as a satisfied customer, are the best advertisement they can have for their business.

The Page Fence Association recognizes that quality of material and thoroughness of planning and erection service are each equally important in the final satisfaction given by the installation.

Forty-six years of use have proved Page quality. Page Fence is made by the makers of America's first wire fence. Erection, which is always a local problem, is handled through the nearest of the 53 Service Plants. Each of these organizations is composed of experts in the planning and erection of fence. This assures that your erection is handled by experienced fence builders.

Forty-six years of Page experience and the knowledge obtainable through the 53 Service Plants, that form the Association, are available to property owners without obligation. When you choose Page, you will get not only a fence of the highest quality in material and construction, but a type of personalized service that may be obtained through no other source.

PAGE FENCE ASSOCIATION



Headquarters: 520 N. Michigan Ave.
CHICAGO, ILLINOIS

Ashville, Ohio
Atlanta, Ga.
Baltimore, Md.
Binghamton, N. Y.
Birmingham, Ala.
Boise, Idaho
Boston, Mass.
Buffalo, N. Y.
Charlotte, N. C.
Chattanooga, Tenn.
Chicago, Ill.
Cincinnati, Ohio
Cleveland, Ohio
Dallas, Texas
Danville, Va.
Denver, Colo.
Des Moines, Iowa

Detroit, Mich.
Fort Edward, N. Y.
Erie, Pa.
Houston, Texas
Huntington, W. Va.
Indianapolis, Ind.
Jacksonville, Fla.
Johnson City, Tenn.
Kansas City, Mo.
Lincoln, Nebr.
Los Angeles, Calif.
Louisville, Ky.
Medford, Oreg.
Memphis, Tenn.
Miami, Fla.
Milwaukee, Wis.

Minneapolis, Minn.
New Haven, Conn.
New Orleans, La.
New York, N. Y.
Omaha, Nebr.
Orlando, Fla.
Parkersburg, W. Va.
Philadelphia, Pa.
Pittsburgh, Pa.
Portland, Oreg.
Richmond, Va.
Roanoke, Va.
St. Louis, Mo.
San Angelo, Texas
San Antonio, Texas
San Francisco, Calif.

Savannah, Ga.
Scranton, Pa.
Seattle, Wash.
Shreveport, La.
Spokane, Wash.
Tampa, Fla.
Toledo, Ohio
Troy, N. Y.
Tulsa, Okla.
Washington C. H., Ohio
Watertown, N. Y.
Westport, Conn.
Woods Cross, Utah
Zanesville, Ohio
Niagara Falls, Ont.
(Dominion Chain)
(Company, Limited)



The above picture shows the famous Page flat mesh fabric. Notice how the Page fabric falls into perfect squares, an exclusive Page feature that adds greatly to beauty and durability.

PAGE Interlocked Square Mesh Chain Link Fabric

PAGE interlocked square mesh is not only the strongest type of chain link made, it is more practical and more attractive in appearance. Page is the only fabric made in which the links fall into their natural position to form the perfect square mesh. It enables erection of the fence without excessive stretching of the fabric.

Stresses and strains are equally distributed on different wires, giving maximum strength. The standard weave for fence purposes is a 2-inch mesh made

from No. 6 or No. 9 wire or a 1 $\frac{3}{4}$ -inch mesh, No. 11 wire for tennis courts.

Page interlocked square mesh chain link fabric is now available woven of these 3 wires—Copperweld wire—a heavy exterior of pure copper, molten-welded to a steel core; Armco Ingot Iron, galvanized after weaving; Copper-Bearing steel, galvanized after weaving. The last two materials are protected by a super-heavy zinc coat of the Page process. (See colored section in center of catalog.)




11 Gauge Wire



9 Gauge Wire



6 Gauge Wire



Galvanized after Weaving

Over either Armco Ingot Iron or Copper-Bearing Steel Wire

THE Page Process of Galvanizing all fabric after weaving represents the foremost development in the science of protecting metal from corrosion and rust.

This method, developed by Page engineers, deposits on the fabric a heavy but uniform coat of zinc, weighing approximately five times as much as is usually applied to wire galvanized for commercial purposes.

In this manner all possibility of scaling or chipping, so common under the old method



The diagram above illustrates the evenness of the Page coat at the curves in the pickets, where ordinarily the zinc is much heavier, increasing the weight of zinc without adding protection

of galvanizing wire before weaving, is eliminated and rust will not form because of thin or broken coating.

Experiments with Page Fences actually in service, having Galvanized After Fabric, conducted during the past 15 years, have proved that the Galvanized After Weaving Proc-

ess makes a more durable fence. And now, with uniformity of the super-heavy zinc coat, Page offers a fabric that is the last word in economical property protection.

Copper-Bearing Steel Fabric

Page Galvanized After Fence can be had of copper-bearing steel of analysis conforming to specifications of the American Society for Testing Materials.

All framework supporting Page Fence Fabrics is made of copper-bearing steel, conforming to the standard specifications of the American Society for Testing Materials, or of Wrought Iron Pipe.

Armco Ingot Iron Fabric—Exclusive with PAGE

For certain kinds of service and under certain conditions of exposure, added durability can be secured through fence fabric made of Armco Ingot Iron (the purest and most uniform of ferrous metals).

This metal is not only ferrous but the *most uniform* of all ferrous metals. It contains a total of less than 16/100 of one per cent impurities and a variation of an analysis of different lots is so slight that it can be determined only by the careful work of the chemist.

Page Fence made with Armco Ingot Iron Fabric is exclusive with Page. The distributor nearest you will

gladly explain in detail the many advantages of Armco Ingot Iron Fabric.


The material used in the construction of Page Fence meets the most rigid specifications. All wire is drawn in Page owned and operated mills. This enables the steady maintenance of the high standard of quality established by J. Wallace Page in 1883—and upheld for over two generations.


There is no guesswork about the purchase of Page Fence. To specify it is to secure the utmost in protection plus long life and the best installation and maintenance service in America.



Philadelphia-Camden Bridge—The World's Greatest Suspension Bridge


The galvanized wire used in both the main and span cables of the Philadelphia-Camden Bridge, Detroit International Bridge and Mount Hope Bridge, Bristol, R. I., was made in Page mills under the most rigid specifications ever drawn up for galvanized wire.






This 3TR Page Chain Link Fence pays dividends for the Eaton Axle & Spring Co., of Cleveland—petty theft is turned into profit—fire hazards are reduced—earnings are protected from personal damage claims—discipline, order and prompt attendance are promoted.





PAGE Industrial Fence



The 800 acre proving grounds of the Studebaker Corporation are protected by this fence. View shows 5TR Page Protection Fence


The accompanying photographs show how Page Fence is being used to give positive protection at all times to industrial property. It discourages theft. Buildings and yards are safe, during strikes and other disturbances, behind this unclimbable barrier of steel.



Maximum protection is provided around these grounds. View shows 5TR Page Protection Fence



PAGE Industrial Fence




This property of the Roxana Petroleum Company was enclosed with Page Fence during the construction of the plant. View shows 3TR Page Protection Fence.

Industrial executives and engineers are finding the best time for the erection of fence around new plants is before construction starts. This provides security for building material and keeps construction under control in case of labor disturbances. Complete protection is there when operations begin.




Page Protection Fence guards this plant of the Sinclair Oil Company. View shows 3TR Page Protection Fence




Public Utilities and Railroads


Page Fence surrounds this New Orleans Public Service Company transformer station. View shows STR construction.



High voltage electric equipment—automatic transformer stations—present serious danger to the curiosity seeker. An isolated reservoir is an equally dangerous swimming hole for the small boy. Here Page Fence gives complete and positive security. Standard enclosures have been developed for central and sub-station property.



Special removable panels guard this dangerous electric property. View shows special panel construction of Page Protection Fabric with walk gate.



Ford Motor Company railroad yard at Flat Rock, Michigan. View shows standard drive gates and STR Page Protection Fence.

Some prominent users of Page Fence—
 Western Union Tel. Co.
 Penna. Power & Light Co.
 C. B. & Q. Railway
 Illinois Power & Light Co.
 Commonwealth Edison Co.
 New York Central R. R.
 Illinois Central R. R.
 Chicago, Rock Island & Pacific R. R.
 American Telephone & Telegraph Co.



Coal and Material Yards



Owners are assured profit on coal and materials in this yard. Coal cannot be "borrowed." View shows 6 ft. OTR Page Protection Fence


Material yard of the Dallas Power & Light Company. View shows 7 ft. 3TR Page Protection Fence

This 75 foot Page Protection Sliding Gate emphasizes that the fence need never hamper traffic

Fuel stored in open spaces—material piled up—is unsafe when grounds are not properly fenced. Strong, unclimbable Page Fence provides safe storage.

Representative owners of Page enclosures for coal and material storage:
 Longbell Lumber Co., Longbell, Wash.
 D. L. & W. Coal Company
 Chicago, Wilmington & Franklin Coal Co., Chicago, Ill.
 Sugar Pine Lumber Company, Fresno, Calif.





Airports



The field is kept clear and added safety is provided planes in this Page Protected Detroit Airport. View shows 3TR Page Protection Fence.


A protection fence provides two-way safety for flying fields. It keeps the public from the danger of whirling propellers and landing planes. It assures the aviator a clear field for landing and

take-off and prevents pilfering of supplies or tampering of mechanism.

Page Protection Fence has been used by some of America's leading airports. Information from actual users can be obtained on request.



Crowds are held in check and damage claims are avoided at the Bridgeport, Connecticut, airport. View shows 3 ft. OTR Page Reliable Fence



Schools



Page Fence protects this parochial school and grounds. View shows OTR Page Protection Fence




This school yard assures safe play for active youngsters. View shows 6 ft. OTR Page Protection Fence

Modern traffic has made a serious problem of providing safe playgrounds for school children. Here Page Fence renders invaluable service—keeping youngsters on the school grounds—away from dangers of the street. Children are more easily disciplined and school property is protected.

School officials in such cities as New York, Detroit, Boston and Chicago specify Page Fence for school buildings and yards.

Here Page Fence provides a baseball backstop and keeps children off the streets





Athletic Fields



Washington High School, East Chicago, used Page Fence to protect this property. View shows 3TR Page Protection Fence

Among the larger institutions using Page Fence are

State College, Pullman, Wash.

Yale University

Denver University

Purdue University

Wabash College


Butler College

University of Chicago

—and countless high schools.


There is always a tendency for athletic fields to become public playgrounds. This can only be prevented by adequate protection. Strong, unclimbable Page Protection Fence is the best you can buy. It has been found ideal for baseball backstops—tennis courts—in fact, wherever a durable barrier is required.

Page Fence installed at Kansas City High School. View shows standard walk gates used as entrance to athletic field





Racetracks and Fairgrounds



Page Chain Link Fence does not interfere with visibility at the Philadelphia Speedway. Inside the track "Hi-Way" Guard, another Page product, protects spectators and drivers against danger from "spills." View shows 5 ft. OW Page Protection Fence

As a means for securing more paid admissions—to facilitate the handling of large crowds and to protect valuable exhibits—Page Chain Link Fence has proven its superiority. And it guards property when grounds are not used. Tramps and other undesirables are kept at a distance. Fire hazard is greatly lessened.

Installations of Page Fence enclose

Charlotte Speedway, Charlotte, N. C.

Ohio State Fair

Central States Fair, Aurora, Ill.

Hawthorne Race Track

Philadelphia Speedway

Aksarben Exposition Field,

Omaha

Washington Park Race Track,

Homewood, Ill.


Pimlico Race Track, Baltimore,

Md.

Southeastern States Fair, Atlanta, Ga.




Page Fence protects Oklahoma Free State Fair Grounds. View shows standard double drive gates



Parks and Playgrounds



Grown-up rowdies can't spoil games where Page Chain Link Fence guards the playground. View shows OTR Page Protection Fence.



Morningside Park, New York City, is Page protected. View shows 4 ft. OTR Page Reliable Fence with special bottom rail and standard walk gate.

Municipal property in New York, Boston, Chicago, Philadelphia and other leading cities is protected by Page Fence.

This Oak Park, Ill., property is enclosed by Page Fence. Note sturdy construction of gate. View shows 5 ft. OTR Page Protection Fence with standard walk gate, all joints welded





Country Clubs



The beautiful grounds of the Medinah Country Club, largest of its kind in the country, are enclosed by Page Fence. View shows 3TR Page Protection Fence



Page Fence encloses the Boy Scouts' swimming pool of the Moline, Illinois, park district

The well-kept grounds of a country club are an open invitation to trespassers and picnicking parties unless protection is provided. A barrier is particularly essential because golf play is dangerous—members and club can be held responsible for accidents.

A Page Protection Fence provides the maximum in protection and adds to the beauty and neat appearance of the grounds it guards.




This Page Fence permits golfers to play without fear of injuring the public. View shows 5 ft. OTR Page Protection Fence

Many of America's most beautiful country clubs are enclosed with Page Fence, among them:

New Haven Country Club, Conn.
Black Rock Yacht Club, Bridgeport
Medinah Country Club, Chicago
Beacon Beach Association, Atlantic City.




Tennis Courts




This Page Tennis Court enclosure of a Pittsburgh private estate is of Copperweld wire—a heavy coating of copper, molten-welded to a steel core insures lasting service

Page Chain Link Fabric guarantees trim, taut tennis court backstops—the first essential to a neat appearing enclosure. Page Fabric is practical, too, for the wires cannot spread—balls are always stopped.



Page Fabric is easily erected to follow the contour of the ground, giving a ball-tight enclosure. View shows Page tennis court with sloping side erected for Medinah Country Club, Chicago



Zoos and Animal Enclosures




Page Fence forms enclosures for these runs at the Philadelphia Zoological Gardens. View shows an OTR Page Protection Fence

Page Fence makes ideal animal runs. Its chain link mesh provides a healthful, airy home for animals of all types. Built sturdy and strong, it has no equal for fox runs, dog kennels, deer parks, aviaries and similar types of enclosures.



Page Protection Fence surrounding a buffalo park. View shows 3W Page Protection Fence.



Among the large zoos in the country specifying Page Fence for animal enclosures are:

Philadelphia Zoological
Gardens
Bridgeport Zoo
Belle Isle Zoo, Detroit.

Page Fence protects these valuable dogs on a Long Island Estate. View shows 3TR Page Protection Fence, using smooth wire instead of barbed wire



Cemeteries



Note the regularity of the Page Fabric surrounding this cemetery. View shows OTR Page Protection Fence

Unfenced cemetery grounds are an open invitation to the vandal—the flower picker. Page Fence is a wall over which intruders cannot climb. While it gives the “Silent City” protection, its appearance is not cold.



St. Michael's Cemetery is Page Protected. View shows 3TR Page Protection Fence



Among users of Page Fence are some of the largest and most beautiful cemeteries in the country. Write for name of an installation near you.

High, unclimbable Page Fence encloses Mt. Greenwood Cemetery at Chicago. View shows 3TR Page Protection Fence

PAGE "COPPERWELD" FENCE



*The endurance of copper—plus
the strength of steel*

Make these 5 daring tests— they prove “Copperweld” gives the enduring life of copper combined with the great strength of steel.



1. Bend - - “COPPERWELD”

You can bend and re-bend Copperweld wire as sharply and severely as you possibly can, without damaging the copper. The ductile copper is molten-welded to the steel. It can never flake, crack or peel.

Copperweld gives the enduring life of copper, combined with the great strength of steel.



2. Twist - - “COPPERWELD”

Twisting is even more severe a test than bending. You can twist Copperweld in the most drastic manner, yet the copper will never break away from the steel core.

Copperweld gives the enduring life of copper, combined with the great strength of steel.



3. Gouge - - “COPPERWELD”

By gouging Copperweld you get a new conception of how thoroughly the thick tough layer of copper still protects the steel core. Try gouging Copperweld wire with any solid object. A remarkable proof of ruggedness!

Copperweld gives the enduring life of copper, combined with the great strength of steel.



4. Hammer- “COPPERWELD”

Hammer a piece of Copperweld wire until the wire is flat. You will find that even this extreme abuse can not expose the steel—the copper still protects the steel from rusting. The perfect molten-welded union between the copper and steel can never be separated even by this very daring test. Copperweld gives the enduring life of copper, combined with the great strength of steel.



5. Cut - - - “COPPERWELD”

The tenacious strength of solid steel! You'll find it quickly when trying to cut through Copperweld wire. Welded within the copper exterior is a strong steel core, which gives you real, strong, fence protection. Equally important, this strong steel core assures a taut and rigid fabric—perfect alignment throughout a lifetime of service.

Copperweld gives the enduring life of copper, combined with the great strength of steel.

PAGE “COPPERWELD” Fence — for permanent protection

How PAGE "COPPERWELD" combines

*the endurance of copper with the strength of steel
—a fitting climax to 45 years' PAGE experience*

[Liquid copper, molten-welded to
almost liquid steel—"COPPERWELD"]

Copperweld wire
has proved itself
through years and
years of exposed
service under the
most severe con-
ditions.



THERE never has been, nor is there now, any other "copperweld" steel or "copperclad" steel made like Copperweld — by the molten-welded process. *Page-Copperweld* fence fabric is made from Copperweld wire. The wire has a thick exterior layer of copper permanently molten-welded to a core of strong steel. *Page-Copperweld* fence gives you permanent beauty and protection. It is non-rusting and strong.

Proved by many years of actual use

Thousands and thousands of miles of Copperweld wire and strand in use by railroad and power companies of America, prove its durability. The same wire is used in *Page-Copperweld* fence. *Page-Copperweld* fabric requires no painting or other upkeep work—there is no maintenance expense.

And this enduring protection and added beauty actually cost less per year of service. The upkeep expense of the ordinary wire fence is turned into profit for the owner of a *Page-Copperweld* fence. Discriminating buyers will order *Page-Copperweld* fence where beauty, permanent protection and ultimate economy are desired.

PAGE "COPPERWELD" proved by a decade of use

Lifetime beauty and rugged strength



Drawn from photograph of Page-Copperweld Fence at Belle Island Zoological Gardens, Detroit.

Page-Copperweld Fence was chosen for this installation because of its non-rusting quality as well as its beauty.



The New York Zoological Park uses Page-Copperweld Fence.

Page-Copperweld Fence is particularly adapted for zoological garden use, where protection must be permanent.

A letter from Mr. Hermann W. Merkel, President, American Institute of Park Executives:

"Page-Copperweld is meeting a long-felt need of park development. In most cases park fences are landscaped. This makes it exceedingly difficult to paint or do other maintenance work on the fence. Replacement is not only expensive, but also entails destruction to shrubbery and plants.

"Page-Copperweld fence exactly meets park requirements for fence, for it eliminates maintenance work and replacement, and at the same time gives maximum protection with its steel-strengthened fabric."

PAGE "COPPERWELD" the Wire Fence that gives lasting protection

Added charm for residence or estate

Page-Copperweld fence is particularly adapted to landscaped fences, where painting, maintenance or replacement would be very difficult.



In use, *Page-Copperweld* fence usually turns a rich green color which adds beauty to the most luxurious grounds or gardens.



Page-Copperweld fence surrounds America's most beautiful residences and estates.

Page - Copperweld fence is easily landscaped because the *Copperweld* fabric never requires painting. The only painting work required is an occasional coat for the posts and top rail. The high-strength steel core in the wire gives to *Page - Copperweld* fence the greatest resistance against impacts of moving objects—is extremely difficult to distort—and assures a fabric that remains neat and taut for its entire life.

This estate, surrounded by *Page-Copperweld* fence, has permanent, economical protection.


PAGE "COPPERWELD" built for those who want better things

The choice of far-thinking executives



Drawn from photograph of Page-Copperweld Fence at the Illinois Power and Light Co. showing Double Drive Gate.

In many industrial locations rusting conditions are very severe. Constant painting is required to maintain ordinary chain link fence. *Page-Copperweld* fence fabric quickly pays dividends under these conditions.



Drawn from photograph of Page-Copperweld Chain Link around one of America's largest sub-stations.

Public utilities have proved the economy of Copperweld in overhead construction with wire and strand. They now find that Copperweld wire when woven into *Page-Copperweld* fence fabric gives similar economies and provides permanent protection in fence installations.

PAGE "COPPERWELD" Fence gives the endurance of copper

Why Page "Copperweld" costs less



Drawn from photograph of Page-Copperweld Fence in Westchester Park system showing walk gate.

One year or 20 years Page "Copperweld" fabric never needs to be painted

Page-Copperweld fence combines permanent protection with greater beauty and ultimate fence economy especially where rust conditions prevail.

For example, wherever ordinary fences require painting to lengthen their life, those painting costs can be avoided by installing *Page-Copperweld* fence which only requires an occasional coat of paint over the framework—a limited area that is easily covered.

The life of the usual paint coat may be only from three to four years. The cost of two coats of

paint may actually pay for the additional cost of a new *Page-Copperweld* fence. The result is that when a *Page-Copperweld* fence is installed it may pay for itself in from five to eight years, and after that time actually earn dividends for the property owner.

It must be remembered that while it is giving this ultimate economy, *Page-Copperweld* fence also provides *permanent protection*. Copperweld wire does not lose strength, year after year, as is usually the case with ordinary fence wire. Neither does it become unsightly.

PAGE "COPPERWELD" Fence lasts longer—costs less per year of service

There is a PAGE Fence for every need



Page Galvanized After Weaving Chain Link Fence gives positive protection.



Page Ornamental Wrought Iron Fence provides added beauty—there is a design for every type of property.



Page-Copperweld fence offers a chain link fabric that combines the enduring life of copper with the great strength of steel.

Service that only PAGE can give


The Page Fence Association was created to give better fence service—from the first plan to final erection. It is a group of 53 foremost fence-building firms in America. One of these firms is located near you. This firm depends for its success upon the business and good-will in your

district. When this organization serves you, you are assured of its permanent interest in your satisfaction. Consultation on your fence plan is furnished without obligation.


PAGE FENCE ASSOCIATION
215 North Michigan Avenue
Chicago, Illinois

PAGE⁵³  **FENCE**
America's first wire service plants erect fence everywhere... fence — since 1883

CHAIN LINK — "COPPERWELD" — WROUGHT IRON



Churches *and* Institutions



Page H-Beam type line post Protection Fence erected in July, 1927, at St. Boniface Church, Cincinnati, Ohio. (For enlarged drawing of H-Beam Post see page 31.)

For all types of religious and institutional property—where a barrier must remain in service for years at low maintenance cost—Page Protection Fence is ideal.

Several of the larger institutions enclosed by Page Fence are:

Cleveland Orphan Asylum
Assumption Convent, Springfield, Ill.


Home for Incurables, Memphis, Tenn.

Salvation Army Home, Chicago
Shriners' Hospitals for Crippled Children

Home for the Aged, Little Blue, Mo.



Page Fence encloses the Shriners' Hospital for Crippled Children at Chicago. View shows 6 ft. 3TR Page Protection Fence



Homes and Residences




Page Fence and gates provide this home with adequate privacy, yet afford visibility. View shows Page drive and walk gate construction

Property owners, faced with the problem of protecting homes and grounds from trespassers, find that Page Fence insures privacy at all times. Uninvited guests cannot intrude on Page enclosed land. While its unclimbable Chain Link Mesh gives seclusion, Page Fence harmonizes with the beauty of lawns and gardens.




Placed along the property line, Page Fence forms an impassable boundary. View shows Page OTR Protection Fence




A list of home and estate owners using Page Fence would include names of the most prominent men in the country. There is a representative installation near you.

Note how Page Fabric harmonizes with its surroundings on this estate. View shows Page OTR Protection Fence




Country Estates




Positive protection for "little tots" is assured to the very limits of your property. View shows 6 ft. OTR Page Protection Fence

"Private Property" means little when grounds are not properly enclosed. Page Protection Fence is ideally suited for the protection of private estates. A definite boundary line keeps out picnicking parties, malicious intruders and assures privacy.



Picnicking parties will never litter these grounds with paper and rubbish. View shows OW Page Protection Fence





Baseball *and* Municipal Properties




This Page Fence encloses the jail at Birmingham, Alabama, with an impassable barrier. View shows 5TR Page Protection Fence. (Special installation required for electrically charged wires.)

Officials and engineers have found protection of municipal property of great assistance in economical and effective operation.

Baseball backstop erected for the Municipal Ball Park, South San Francisco, California.



Page Protection fabric is widely used for parks, athletic fields, baseball and tennis enclosures. View shows Page baseball backstop. Several designs available




Gates and Arches



Special wrought iron drive gate and arch



Special wrought iron gates and arches



Estates—Homes—Residences




*Above: Style 2000
with pineapple post
tops*



At right: Style 1000

*Below: Style 3000 with
round rings*





Estates—Homes—Residences




*Above: Style 3000-D
with pineapple post
tops and oval rings*





At left: Style 2000

Below: Style 3000-D






Detail of PAGE Fence Parts Construction



There are four distinct types of Page Protection Fence, as shown above, which give the 9 styles as follows:

- | | |
|---------|---|
| O-TR | Without barbed wire with top rail |
| O-W | Without barbed wire or top rail |
| 3-TR | 3 Strands barbed wire with top rail |
| 3-W | 3 Strands barbed wire without top rail |
| 5-TR | 5 Strands barbed wire with top rail |
| 5-W | 5 Strands barbed wire without top rail |
| 3-TR-V | 3 Strands barbed wire on vertical arm with top rail |
| 3-W-V | 3 Strands barbed wire on vertical arm without top rail |
| 3-TR-LF | 3 Strands barbed wire with special arm for lighting fixture |







It is a simple matter to choose the type of fence you want. First, decide whether or not you need barbed wire protection at the top—second, which type of arm to use. Then it is a matter of height, gauge, mesh and metal.

Page Fence is regularly furnished in heights of 3 to 12 ft. For most protection purposes, either No. 9 or No. 6 gauge fabric is used in a 2" mesh. Standard Tennis Court fabric is 1 3/4" mesh—No. 11 gauge. The metal is either high grade copper-bearing steel, Copperweld steel or ARMCO Ingot Iron.







Detail of PAGE Fence Parts



GATE FITTINGS





TYPE №160
GATE STOP



TYPE №160
GATE KEEPER



TYPE №115 HINGE
ALL WELDED GATES




TYPE №130
LOCKING DEVICE




Detail of PAGE Fence Parts

END, CORNER AND GATE POSTS








PAGE H-Beam Line Post



STYLE O.T.R. FENCE




STYLE 3TR FENCE




H-BEAM LINE POST
(Side-view)

H-Beam posts can be furnished where desired. Weight approximately 4.03 lbs. per foot. See photograph on page 21 for first installation of H-Beam posts erected July, 1927, St. Boniface Church, Cincinnati, Ohio



STYLE 3TR-V

STYLE 3TR



H-BEAM LINE POST
with fabric attached

Sizes of Posts, Top Rails and Braces

Also End, Gate, Corner and
Intermediate Posts

4" GATE POST
WEIGHT 9.11 LBS PER FT.

6 $\frac{5}{8}$ " GATE POST
WEIGHT 18.97 LBS. PER FT.

HEAVILY GALVANIZED
HOT-DIP

2" INTERMEDIATE POST
GATE FRAMES
WEIGHT 2.72 LBS
PER FT.

1 $\frac{5}{8}$ " TOP RAIL
BRACE TUBE
WEIGHT 2.28 LBS.
PER FT.

3" END, GATE & CORNER POST
WEIGHT 5.79 LBS. PER FT.

2 $\frac{1}{2}$ " INTERMEDIATE POST
WEIGHT 3.65 LBS. PER FT.




PAGE Swinging Gates






Page Standard Double Gate. This type permits complete use of ground space in admitting vehicles.

Entrance to Page Protected property may be had through the gate alone. For railroad use, the Double Swinging Gate with three inch greater ground clearance than the Standard gates, allows for clearance of tracks. Extra wide gates, both single and double, have brace rod construction.


In every detail, Page Gates are designed to give continued service under heavy duty. The locking device fastens the gates at top and bottom. Gates may be padlocked in middle and lock on either side. Where needed the keeper holds the gate open. Page Gate frames are welded. They cannot twist out of alignment or sag. No rivets or bolts to become rusty.




Note heavy construction of this single walk gate. Built to stay in alignment



Detail of Hinge. Special hinges of forgings and malleable iron allow gate to open flat against the fence.



PAGE Sliding Gates



Page Sliding Gates make it possible to utilize every foot of space

Where ground space is limited Page Sliding Gates have advantages over the Swinging type. Page Sliding Gates are of extra heavy construction to make them foolproof and easy to operate under all weather conditions. Special trolley assembly permits easy rolling back and forth of the gate. It does not get out of order or need constant attention. In every detail, frames, latches, brackets, the trolley assembly, Page Sliding Gates are designed for heavy duty.


Sliding Gate Specifications

Sliding gate frames shall be made of 2" O. D. pipe weighing 2.72 lbs. per ft. with horizontal and vertical braces when needed of 1 1/2" O. D. pipe weighing 2.28 lbs. per ft. All joints shall be welded and frames filled with fabric to match the fence the gate is to be used with.


The overhead track shall be of Standard I-beam, the minimum size being 5" and which shall be secured to posts by heavy malleable iron brackets.

The trolley, bumpers, guide, and locking device shall all be of malleable iron and steel hot galvanized.


These gates furnished to match any style of Protection fence and made with 12'-0" clearance for regular drives or 22' clearance for railroad gates.




Detail of Trolley Assembly




Showing detail of Sliding Gate Assembly






Note sturdy construction of this Track Bracket



How To Order Fence



Standard Dimensions for Tennis Courts
(For typical installation see page 18)



1. The sample diagram shows how to indicate property lines; location of corner, end and gate posts, etc. Please make diagram of property to be fenced, together with location of installation and other remarks.
2. Make profile indicating the rise and fall of ground surface along each proposed fence line.
3. Show "proposed changes from natural grades" by dotted lines on profile.
4. Use Plot Plans of property lines when available. This is an excellent method of indicating fence lines, location of gates, etc.
5. Please answer the following questions as completely as possible. This will enable us to recommend and quote prices on the type of fence most suitable.

Select style of fence desired from styles shown on Page 28.

- (a) Style of Fence Wanted..... Height over-all including barbed wire if any.....
- (b) Fabric mesh..... Gauge No..... (Washburn & Moen) Copper-Bearing Steel..... or Armco Ingot Iron.....
- (c) Total number of feet required.....
- (d) Number of terminal posts required..... End, Corner, and..... Gate
- (e) Gates required..... Walk,..... Double Drive,..... Single Drive, Railroad (State width of opening and No. gates required)
- (f) If Sliding Gates are desired what size opening....., head clearance..... (make sure there is room for track overhead)
- (g) Will fence be erected on Dry Soil....., Swampy..... Filled in..... Rock.....
- (h) Will you erect fence..... Do you prefer us to quote erected complete..... or furnish you expert erector with erection tools, you supplying other help?

Our staff of trained engineers, at your Service, WITHOUT CHARGE, to submit further detailed plans or drawings covering your individual requirements.



Specifications for PAGE Protection Fence

Line of Fence

FABRIC—The fabric shall be composed of individual wire pickets which are helically wound and interwoven in the form of a continuous chain link fabric having a square mesh. The top edge of the fabric shall be barbed and the bottom knuckled.

The fabric shall be woven of steel wire, containing not less than twenty-hundredths of one per cent (0.20%) copper by ladle analysis, nor less than 0.18% copper by check analysis. The fabric shall be zinc coated by the hot dipping (hot galvanizing) process after fabrication. The zinc coating shall be smooth, of reasonably uniform thickness, free from dross, uncoated spots and adhering particles of foreign material.

The weight of the coating per square foot of actual wire surface shall be not less than 1.2 oz., and shall withstand an average minimum of five (5) one (1) minute dips by the Preece Test.

LINE POSTS—Are hot galvanized Copper-Bearing Steel pipe and furnished in the following sizes: 2" outside diameter—weight 2.72 lbs. per foot for fences under 6' high and 2½" outside diameter—weight 3.65 lbs. per foot for fences 7' high and over. These posts are spaced approximately 10' on centers and are set full 3' deep in bell-shaped concrete footings crowned at the top to shed water and to prevent posts from rusting at the ground line.

TOP RAIL—Shall be 1½" outside diameter Copper-Bearing Steel pipe hot galvanized, weighing 2.28 lbs. per foot in random lengths, the average of which shall not be less than 15'.

EXPANSION SLEEVE—(No. 1027)—This fitting is used in connecting the lengths of top rail and shall be made of pressed steel heavily galvanized and shall be extra long, providing a rigid connection and allowing for expansion and contraction in the top rail.

INTERMEDIATE POST TOPS—(Nos. 15-24-25-30-45)—For all styles of Page Protection Fence shall be made of malleable iron heavily galvanized and so designed as to fit over the posts, thus excluding moisture from the inside. All tops are also constructed so as to be used with top rail or tension wire, as desired. Post tops for styles of fence calling for barbed wire shall be provided with stamped Armco Ingot Iron extensions.

FABRIC BANDS—(No. 1020)—For attaching fabric to line posts are made of pure aluminum, the advantage of this band being that it cannot be removed without a tool and that the post is free of drilling.

TENSION WIRE—All Page Protection Fence is provided at the bottom with a No. 7 gauge extra galvanized high carbon steel coiled wire. The purpose of this is to prevent the fabric from being forced in by external force between line posts.

All "W" styles of fences are provided with this same type of wire at the top to support the fabric instead of the top rail.

Terminal Posts

3" outside diameter—weight 5.79 lbs. per ft.—
End, Gate and Corner Posts

4" outside diameter—weight 9.11 lbs. per ft.—Gate Posts

6½" outside diameter—weight 18.97 pounds per ft.—
Gate Posts

8½" outside diameter—weight 25 pounds per ft.—Gate Posts

All the above shall be hot galvanized Copper-Bearing Steel pipe and of sufficient length to set not less than 3' in bell shaped concrete footings which are crowned at the top to shed water and to prevent posts from rusting at the ground line. End and gate posts for styles of fence provided with barbed wire shall also be long enough to extend 1' above fabric—to provide a support for the barbed wire.

GATE, END AND CORNER POST TOPS—(Nos. 11-26-31-46)—Shall be of malleable iron heavily galvanized so constructed as to fit over the posts, thus excluding moisture. Corner

posts for styles of fence with barbed wire shall be supplied with an improved post top with stamped Armco Ingot Iron extension for barbed wire. This arm is also provided with a set screw whereby the arm is held stationary on the post.

BRACE AND TENSION BANDS—(No. 1001-1002-1006-1007)—Shall be of the unclimbable beveled edge steel type provided with ¾" diameter square shouldered carriage bolts which are easily installed and which cannot be removed from the outside. All bands and bolts are hot galvanized and are used in attaching fabric brace assembly and top rail to posts.

BRACE AND TENSION BANDS—Nos. 1001-1002-1006-7007)—44 P 1-¼, and Brace Rod No. 1030)—All end and gate posts shall be furnished with one complete brace assembly as follows: 1 piece 1½" outside diameter Copper-Bearing Steel pipe for brace, weighing 2.28 lbs. per ft., which shall be used as a compression member, 1—½" diameter steel brace rod with drop forged turn-buckle, to be used as a tension member, 1 malleable iron rail and brace end with necessary brace bands, and bolts for attaching to post. Corner posts shall be furnished with two complete brace assemblies.

TENSION BARS—(No. 1046)—This ⅝"x¾" flat bar is run thru the first spiral picket in a roll of fabric and is secured to the post by means of tension bands. This method of terminating the fabric distributes the strain evenly over its entire length, thus avoiding the distortion of the fabric at the bolts.

Gates

FRAMES—Shall be of 2" outside diameter Copper-Bearing Steel pipe construction weighing 2.72 lbs. per ft. with intermediate braces of 1½" outside diameter Copper-Bearing Steel pipe weighing 2.28 lbs. per ft. All joints shall be welded, making a rigid and water-tight frame.

12'-0" single or 24'-0" double gates and over shall be provided with 1½" O.D. tubular bracing which shall run diagonally across the frame from the bottom of the frame on the hinge side to the top of the frame on the latch side. On extremely large gates, the bracing will be in the form of a truss.

GATE FILLER—Frames shall be filled with fabric to match that in the line of fence and shall be furnished with or without barbed wire—as specified. When barbed wire is specified ratchets shall be furnished on the gate extension to provide a means of keeping the wire taut at all times.

HINGES—(No. 115)—Shall be of the double clamping offset type allowing the gates to swing back parallel with the line of fence and shall be made of malleable iron and forgings heavily galvanized.

LATCHES—Nos. 130 and No. 180)—The latches shall be of the eccentric double locking type which engages stops securely bolted to gate frame at both top and bottom. The lever handle is drop forged steel insuring the greatest strength possible without additional weight on the gate frames. The lock bars of steel, the lower one being sufficiently long to extend down when locked, engaging an extra heavy malleable iron non-freezing gate stop for drive gates and a disappearing type of stop for railroad gates. Either one of these stops shall be securely fastened to a large concrete footing in the center of the opening.

KEEPER—(No. 155)—With each gate frame there shall be furnished a keeper the purpose of which is to automatically catch the gate when it is swung open and to hold it in this position.

AUXILIARY BRACE—(No. 1047)—With all gate posts for single gates 12'-0" wide or double 24'-0" wide and over, there shall be furnished a diagonal or strut brace of 2" outside diameter Copper-Bearing Steel pipe with necessary brace end and band for attaching to post. This brace shall be set inside and at right angles to the fence line to relieve the strain on the gate post when the gates are in an open position.

All gate fittings are heavily galvanized with the best grade of zinc.



PAGE Panel Partitions




Page Panels provide a light, airy workroom in this shop


For inside protection in warehouses, stores, garages and factories, Page Panel Partitions have no equal. They provide light, airy compartments for the storing of material, facilitating an accurate check on stock at all times. Where an enclosure is desired for superintendent's office in shops, Page Panels occupy little space and afford view of the entire floor or department.

Details of Construction


Page Panels are constructed of the same strong square-mesh fabric as Page Fence. Standard panels come in 4, 3, 2 and 1 foot widths, 8 ft. 3 in. high over-all, provided with flanges for floor mounting. Fabric is $1\frac{1}{2}$ -inch mesh—No. 10 gauge. Frames are of channel iron ($\frac{1}{2} \times 1\frac{1}{8}$) braced crosswise with $\frac{3}{8}$ -inch diameter rods. Panels come to you complete with fittings and painted black. Your own workmen can install them.



Here Page Panel Partitions form an airy and safe compartment for material



The stockroom facilitates an accurate check on supplies



PAGE Panel Partitions

Doors and Fittings *designed to fit every requirement*



Doors for Page Panel Partitions are standardized. They are complete units—interchangeable with regular panels. Both swinging and sliding types of doors may be hung on either side of partition, to operate in either direction. Page Sliding Doors are built 4 ft. and 8 ft. wide. Besides the level track door a self-closing door is obtainable.

Page Partition Wickets

To facilitate handling of material and supplies. 18" wide and 11" high, provided with steel plate shelf 12" wide. Shelf is on hinges and can be raised to close wicket opening. Arranged for padlock at top. Wickets can be built in before shipping or sent separately and applied on job.




*Standard Page Partition Wicket
Larger sizes made to order*

*Panel sizes—4-3-2-1 ft. widths
8 ft. 3 in. high over-all with flanges for floor mounting*

*Remington Cash Registers worth thousands
of dollars are safe behind this compartment
built of Page Panel Partitions*



*Page Panel Partitions and Sliding Doors
make a safe parking place for automobiles
in this garage*



PAGE Playground Equipment




Page Swings



Page swing sets are made so they can be used as single swings, double swings or individually for any number of swings. In addition, they can be equipped with hand rings, single trapeze bar or a see-saw connection. Seats can be connected at the end of the swing, if desired, between the swing sets, side sets and see-saw sets.

Page May-Pole Stride




The huskiest child will find full outlet for his energies with a Page May-Pole Stride. Easily erected and assembled. Ball-bearing parts require greasing but once a year. A very popular piece of equipment in any playground.

Page "Slickery" Slide



All-metal slide that combines speed with enduring safety. Will withstand the roughest treatment and give long, trouble-free service.

Page Merry Wave




Page Merry Wave is swung on ball-bearings—assuring trouble-free operation. Requires only one greasing a year. Anchor and templet bolts are designed to give ample safety. Extra-heavy pipes, standard and malleable fittings, will withstand the roughest treatment.

PAGE Playground Equipment




Page Merry-Go-Rounds




Take a look in any playground and you will find the merry-go-round the outstanding venture. It provides fun for children of all ages. Page Merry-Go-Round operates on ball-bearings so one child can start it and keep it running. Page once-a-year greasing makes upkeep simple.

Page "Wavey" Slide



All-metal slide that combines speed with enduring safety. Will withstand the roughest treatment and give long, trouble-free service.

Page See-Saw



Page See-Saws are built to withstand continuous usage by fun-loving children. The illustration shows two see-saws. Any number can be furnished. The stand is built of Page heavy-weight pipe, with heavily galvanized Page broads.

Page Playground Equipment

Page Playground Equipment is carefully made of the best possible material. All fittings are malleable, made in our own foundries. All pipe is heavy-weight and best galvanized quality. All chains attached to swings are made by the American Chain Company, Inc., and to the highest possible standards. Handles on swings and small equipment are cast aluminum. In designing, every care is taken to avoid sharp points or other construction that might cause injury. All moving parts are ball-bearing. Grease cups are designed to require greasing but once a year.

53 Service Plants give nation-wide service

There is a Page Service Station near you, with a staff of experts who will gladly give you full information on your playground needs. There is no obligation. Write now for name and address and complete information.

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:
Gerron S. Hite
West Texas Collection, Angelo State University,
San Angelo, TX

